



STINGRAY

Making people smile, one boat at a time.



0

O









- 2 About Stingray Certifications Z-Plane Hull
- 3 About Stingray Warranty

4-17 Bowrider Models

- 4-5 180LS/LX Bowrider
- 6-7 195RX Bowrider
- 8-9 195LS/LX Bowrider
- 10-11 208LR Sport Deck
- 12-13 215LR Sport Deck
- 14-15 225LR Bowrider
- 16-17 235LR Sport Deck

18-29 Cuddy / Cruiser Models

- 18-19 195CS/CX Cuddy
- 20-21 208CR Sport Deck Cuddy
- 22-23 215CR Sport Deck Cuddy
- 24-25 225CR Cuddy
- 26-27 235CR Sport Deck Cuddy
- 28-29 250CS Cruiser

30-31 Sportboat Model

30-31 225SX Sportboat

32-41 Outboard Models

- 32-33 191RX Bowrider
- 34-35 191LX Bowrider
- 36-37 204LR Sport Deck
- 38-39 214LR Sport Deck
- 40-41 234LR Sport Deck

42-45 Standards & Options

- 42-43 Standards & Options
- 46 Canvas Options47 Gelcoat / Graphics Options

Actionwear

- 48 Model Specifications
- 49 Performance Options
- 50-51 Performance Comparisons

ABOUT STINGRAY

Based in Hartsville, South Carolina, Stingray occupies over 225,000 square feet of manufacturing facilities and is situated on 46 acres.

INDEPENDENTLY OWNED Stingray is a privately held, family-owned business, representing one of the longest continual ownerships in the marine industry today! Stingray has been building quality runabouts since 1979 based on some very basic principles: innovation, craftsmanship, and integrity. Because of our "independent" status, Stingray can react to changing market conditions in a much shorter cycle time than the larger corporate entities. This often leads to early recognition of shifts in consumer trends or demographics and thus designing products to meet those needs in a more proactive way.





CE CERTIFICATION

Stingray competes on a global scale and has dealerships located throughout the world from the Middle East throughout Europe, into Asia and Australia. Stingray boats destined for these countries must meet stringent standards prescribed by Consultants Europe (CE) and bear the CE mark.

NMMA / USCG CERTIFICATION

All Stingray boats meet or exceed National Marine Manufacturer Association

(NMMA) and US Coast Guard (USCG) certification

requirements for safety, such as horsepower, load

capacity, steering, fuel systems, compartment ventilation, navigation lighting, and backfire

flame control.



The Stingray Z-plane hull is unparalleled in the industry. Developed on a CAD (Computer Aided Design) system, the hull design is unlike competitors' addon lifting strakes. Stingray Z-planes act as horizontal planing faces when submerged; when very near the water's surface, the outside edge acts as a spray release, passing through the water with no bubbles or vortices. The smooth flow of water allows the propeller better bite during straight line speed and hard cornering maneuvers. Extending beneath the swim platform, the design allows for quicker planing and three-point contact with the water at faster speeds. This combination results in a quicker hole shot, industry leading top-end, and smooth handling at all speeds.



TECHNOLOGY DRIVEN

For the past three decades, Stingray has pioneered many of the advances of technology in the boat building industry. Equipment and tools that were not available just a few years ago are now the mainstays that enable Stingray to achieve unparalleled precision and efficiency i.e., computer-aided designs, multi-axis 3-D milling machines, water jet cutting machines, and CNC routers, to mention a few.

FINANCIALLY SOLID

With Dun and Bradstreet's highest credit rating, Stingray is one of the most financially solid manufacturers in the industry. Stingray dealers and customers can depend on a strong partner to provide product innovation and customer support for years to come. We are proud of our debt-free status—a claim that few builders can make!



VALUE AND QUALITY ORIENTED

As one of the founding members of the American Boatbuilders Association (ABAboats.com), Stingray is in excellent company with Chaparral, Cobalt, Correct Craft, Ebbtide, Formula, Godfrey, Grady-White, Monterey, Pursuit, Regal, Rinker, and S2 Yachts. This is another assurance that you are receiving the highest quality materials available at the best possible price. ABA members pool their expertise and resources to purchase only the best products and services available.







Being a leader in technology is more than just a philosophy—it's a commitment designed to help ensure the preservation of our natural resources for generations to come. At Stingray, fuel efficiency, waste reduction, recycling, and reduced stack emissions are not just buzzwords—they are measured goals of each employee.



WARRANTY

Every Stingray boat is backed by a comprehensive warranty for peace of mind.

FIVE-YEAR LIMITED TRANSFERABLE STRUCTURAL HULL WARRANTY

STINGRAY Boat Co. (hereafter "STINGRAY") warrants the HULL against structural defects in material and workmanship for a period of five (5) years from the date of purchase or six (6) years from the date of manufacture, whichever period elapses first. The warranty provided in this section is to the original retail owner only and applies only if the boat is purchased from an authorized STINGRAY Dealer. During the warranty period described above, STINGRAY will repair (at the factory) or replace, at its option, the fiberglass HULL at the factory if it is determined, in Stingray's discretion, to be structurally defective in material or workmanship. For purposes of this warranty, the HULL is defined as the part of the boat in contact with the water when at rest. The warranty provided in this section is subject to all limitations and conditions contained herein. The remaining term of this HULL Warranty, if any, may be transferred to the second owner if, within 60 days of purchase, the new owner registers the transfer with STINGRAY and pays the established warranty transfer fee. Contact STINGRAY Customer Service at stingrayboats.com/transfer for further details on transferability.

THREE-YEAR LIMITED OSMOTIC HULL BLISTER WARRANTY

STINGRAY warrants against hull blistering caused by osmosis that is discovered and reported to STINGRAY during the first 3 years of ownership (subject to the prorated schedule below). The warranty provided in this section applies to the original retail owner only and is VOID if the original factory gelcoat surface has been altered by excessive sanding, scraping, sandblasting, or accident repair. A marine barrier coating with proper surface preparation is required if the boat is bottom painted or if the boat is left in fresh or salt water for more than 60 days in any 90 day period. In the event of osmotic blistering, STINGRAY will, at its option, repair or cause to be repaired any hull damage and apply a layer of marine barrier coating to the affected surface area(s). Osmotic hull blisters are defined as those blisters, larger than one-eighth inch in diameter and with a depth greater than one-sixteenth inch, which occur on the hull below the waterline. Repairs will be performed (at STINGRAY'S discretion) by the selling dealer, a designated service center, or the STINGRAY factory. The following prorated schedule of parts and labor will be covered by STINGRAY: Blistering discovered and reported to STINGRAY less than one (1) year from date of purchase - 100%; between one (1) and two (2) years from date of purchase - 66%; between two (2) and three (3) years from date of purchase - 33%. All osmotic hull repairs must be pre-approved by STINGRAY prior to any work being performed. Transportation cost is the boat owner's responsibility. Reimbursement shall be limited to one repair, not to exceed eighty US dollars (\$80 USD) per foot of hull length resting below the waterline prior to prorating.

ONE-YEAR LIMITED GENERAL WARRANTY

STINGRAY boats are warranted to the original owner to be free of defects in materials or workmanship for a period of one (I) year from the date of purchase (not to exceed two (2) years from date of manufacture) subject to all limitations and conditions contained herein.

WARRANTY INFORMATION

All Stingray warranties are limited warranties within the meaning of Title 1 of the Federal Trade Commission Improvement Act. A full statement of coverage, terms, and conditions applying to the Stingray warranty has been furnished to all Stingray dealers. In addition, information is supplied with each new boat.

Please read carefully the terms and conditions provided in Stingray's Express Limited Warranty accompanying the sale of your boat. The actual length of warranty coverage for your boat may vary depending on the date of original manufacture and sale date of your boat.



180 L BOWRIDER

While eighteen feet may be typical of an entry-level boat, our 180L models are not typical. They feature helm seats with fore and aft adjusters, a sporty steering wheel, springline cleats, backlit instruments, an aluminum dash panel with a low-profile dash, indirect LED cockpit lighting, and a standard bimini top. If you compare before you buy, we think you will be pleased.

 LENGTH
 18 ft | 5.5 m

 BEAM
 85 in | 216 cm

 BRIDGE CLEARANCE
 41 in | 104 cm

 AVG DRY WEIGHT (w/ 3.0L)
 2219 lbs

 FUEL CAPACITY
 21 gal | 79 L

 MAX CAPACITY
 7 ppl, 1070 lbs | 485 kg

 ICE CAPACITY
 14 qt | 13 L

 COCKPIT DEPTH (at helm)
 28 in | 71 cm

 MAX DRAFT (drive down)
 29 in | 74 cm

 DEADRISE ANGLE
 19 degrees









- □ 14 qt. cooler / storage box with drain
- floor storage with oversize door
- □ premium 36 oz. stain resistant vinyl
- □ three-way adjustable helm seats
- □ stainless steel multi-step transom ladder
- □ auto / manual 1100 gph bilge pump ❖※
- □ marine audio system with MP3 port ❖※
- □ transom mounted trim and tilt switch ❖❖
- □ stand-up bimini top with boot ❖※
- extended swim platform
- □ fiberglass cockpit floor liner ❖
- □ stainless steel hardware package ❖
- for details * included in Proferred Equipment Group











195_{RX} BOWRIDER

The entry-level 195RX is priced to sell. It is for those who want the highest quality, most fuel efficient, and best performing boat in its class...at the best price. Even though this boat is priced to get you out on the water, it still has more amenities than the competitors' similar entry-level models. It also is economical, clean and fuel efficient, and comes standard with a MerCruiser 4-cylinder engine with power steering. Compare before you buy, and you will be happy that you did!

LENGTH	19 ft, 6 in 5.9 m
BEAM	91 in 231 cm
BRIDGE CLEARANCE	47 in 119 cm
AVG DRY WEIGHT	2604 lbs
FUEL CAPACITY	34 gal 129 L

ICE CAPACITY 14 qt | 13 L

MAX CAPACITY 8 ppl, 1470 lbs | 666 kg

COCKPIT DEPTH (at helm) 29 in | 74 cm

MAX DRAFT (drive down) 31 in | 79 cm

DEADRISE ANGLE 19 degrees











- bow storage
- stainless steel cleats
- floor storage with oversize door
- □ indirect LED interior lighting
- all weather marine carpet
- □ premium 36 oz. stain resistant vinyl
- □ cooler / storage box with drain
- □ three-way adjustable helm seats
- backlit instruments with circuit breakers
- □ stainless steel multi-step transom ladder
- power trim and tilt with indicator
- power steering (engine driven)

- □ auto / manual 1100 gph bilge pump ❖※
- □ marine audio system with MP3 port ❖‡
- □ transom mounted trim and tilt switch ❖※
- □ stand-up bimini top with boot ❖※
- □ cockpit and bow cover ❖
- ss sport trim tabs







195_L BOWRIDER

Looking to move up to a 19' bowrider? If so, take a look at our 195LS and 195LX models, which include lots of amenities as standard features. They are fast, too! The 195L reaches 60 mph with only a V-6 for power. That means both speed and fuel economy in the same boat! For extra versatility, add the optional fish and ski package on the 195LX. It includes a trolling motor mount, bow casting platform, wired trolling motor panel, aerated livewell, tackle box, extended platform with pedestal mount, and two fishing seats.

LENGTH 19 ft. 6 in | 5.9 m **BEAM** 91 in | 231 cm **BRIDGE CLEARANCE** 47 in | 119 cm AVG DRY WEIGHT (w/ 4.3L) 2604 lbs **FUEL CAPACITY** 34 gal | 129 L MAX CAPACITY 8 ppl, 1470 lbs | 666 kg ICE CAPACITY 14 qt | 13 L **COCKPIT DEPTH (at helm)** 29 in | 74 cm MAX DRAFT (drive down) 31 in | 79 cm **DEADRISE ANGLE** 19 degrees











- □ 14 gt. cooler / storage box with drain
- floor storage with oversize door
- premium 36 oz. stain resistant vinyl
- □ three-way adjustable helm seats
- windshield with side vent windows **
- □ marine audio system with MP3 port ❖※
- □ stand-up bimini top with boot ❖※
- □ transom mounted trim and tilt switch ❖※
- □ auto / manual 1100 gph bilge pump ❖※
- □ fiberglass cockpit floor liner ❖
- □ stainless steel hardware package ❖
- ☐ fish and ski package ❖







208 LR SPORT DECK

Our entry-level sport deck bowrider offers eight inches of extra cockpit width over the standard-width model it replaced; this translates to extra room inside for your passengers, without adding extra length to trailer. It also allows for a convenient side-entry walkway, without giving up a lot of sundeck and bench seating space. An optional filler cushion is available to create an extra large sundeck. The 208LR is a perfectly sized bowrider for a weekend on the water with family and friends!

LENGTH	20 ft, 8 in 6.3 m
BEAM	99 in 250 cm
BRIDGE CLEARANCE	49 in 124 cm
AVG DRY WEIGHT (w/ 4.3L)	2825 lbs
FUEL CAPACITY	34 gal 129 L
WATER CAPACITY *	6 gal 23 L

ICE CAPACITY 32+14 qt | 30+13 L MAX CAPACITY 9 ppl, 1715 lbs | 778 kg **COCKPIT DEPTH** (at helm) 32 in | 81 cm MAX DRAFT (drive down) 34 in | 86 cm **DEADRISE ANGLE** 19 degrees









- □ 15" side-entry walkway
- deep bow and cockpit
- oversized cup holders
- floor storage with oversize door
- indirect LED interior lighting
- □ fiberglass cockpit floor liner
- □ 32 qt. and 14 qt. coolers / storage boxes with drain
- □ twin sport bucket seats with bolsters
- □ premium 36 oz. stain resistant vinyl
- □ hi-power Bluetooth audio system
- □ auto / manual 1100 gph bilge pump
- □ stand-up bimini top with boot

- □ stainless steel multi-step transom ladder
- □ cockpit / bow table for entertaining ❖
- □ LCD bow and transom stereo remotes ❖
- □ bow and aft filler cushions ❖
- □ stainless steel hardware package ❖
- □ custom wakeboard tower ❖









215_{LR} SPORT DECK

Like our other sport deck models, the 215LR's wide body offers an easy-entry starboard walkway, plus more cockpit space than traditional boats of the same length. Under the bow entryway is a slide-out ladder, an anchor locker and fender storage area, and a large cooler with overboard drain. With a truly functional head, it's convenient to spend the day, or night, out on the water. The features on this boat are abundant. Stop by a local dealership and have a look for yourself!

LENGTH 21 ft. 11 in | 6.7 m **BEAM** 101 in | 257 cm **BRIDGE CLEARANCE** 58 in | 147 cm AVG DRY WEIGHT (w/ 5.0L) 3705 lbs **FUEL CAPACITY** 46 gal | 174 L WATER CAPACITY 13 gal | 49 L

ICE CAPACITY 25+17 qt | 24+16 L MAX CAPACITY 11 ppl, 2167 lbs | 983 kg **COCKPIT DEPTH** (at helm) 34 in | 86 cm MAX DRAFT (drive down) 34 in | 86 cm **DEADRISE ANGLE** 19 degrees











- □ 15" side-entry walkway
- deep bow and cockpit
- □ floor storage with oversize door
- cockpit table for entertaining
- indirect LED interior lighting
- self-bailing fiberglass floor liner
- □ premium 36 oz. stain resistant vinyl
- enclosed head with vent window and lighting
- freshwater sink and refreshment area
- porta potti with level indicator
- □ stand-up bimini top with boot
- □ stainless steel multi-step transom ladder

- pressurized bow and transom showers
- □ auto / manual 1100 gph bilge pump
- □ LCD bow and transom stereo remotes ❖
- □ bow and aft filler cushions ❖
- stainless steel hardware package
- custom wakeboard tower









225_{LR} BOWRIDER

The 225LR offers sportboat performance and styling with the roominess of a deck boat. A large, integrated swim platform and removable cushions lend way to a step-thru entryway that makes this boat perfect for your favorite watersports activities. U-shaped cockpit seating and curved bow seating both prove useful when it's time for setting up the table (stowed under the sundeck) for dining or snacks. The 225LR is packed with amenities, seats up to 10 people, and features a full fiberglass liner for easy cleanup.

LENGTH 22 ft. 11 in | 7.0 m **BEAM** 100 in | 254 cm **BRIDGE CLEARANCE** 52 in | 132 cm AVG DRY WEIGHT (w/ 5.0L) 3364 lbs **FUEL CAPACITY** 56 gal | 212 L WATER CAPACITY * 6 gal | 23 L ICE CAPACITY 32+25 qt | 30+24 L MAX CAPACITY 10 ppl, 2080 lbs | 943 kg **COCKPIT DEPTH** (at helm) 33 in | 84 cm MAX DRAFT (drive down) 33 in | 84 cm **DEADRISE ANGLE** 20 degrees











- □ wrap-around seating, step-thru entryway
- □ indirect LED interior lighting
- □ auto / manual 1100 gph bilge pump
- floor storage with oversize door
- □ 32 qt. cooler / storage box with drain
- □ removable 25 qt. cooler

- premium 36 oz. stain resistant vinyl
- □ fiberglass cockpit floor liner
- □ hi-power Bluetooth audio system
- □ table and pedestal (for bow or cockpit)
- □ transom mounted trim and tilt switch
- oversized cup holders

- □ stand-up bimini top with boot
- □ LCD transom stereo remote ❖
- full canvas set
- snap-in carpet
- □ stainless steel hardware package ❖
- □ custom wakeboard tower ❖

- optional feature see page 44 for details





235_{LR} SPORT DECK

The wide, sport deck design creates a roomy interior, lending way to a convenient sideentry walkway and a head compartment large enough to double as a changing room. For watersports enthusiasts, a large swim platform features built-in drink holders, a fiberglass storage compartment, transom mount trim and tilt, and an optional transom stereo remote. Transom and bow showers are convenient and help maintain clean interior. A standard full fiberglass liner with overboard drains makes for easy cleanup at the end of the day.

LENGTH 23 ft. 11 in | 7.3 m **BEAM** 101 in | 257 cm **BRIDGE CLEARANCE** 58 in | 147 cm AVG DRY WEIGHT (w/ 5.0L) 4105 lbs **FUEL CAPACITY** 56 gal | 212 L WATER CAPACITY 13 gal | 49 L

ICE CAPACITY 25+32 qt | 24+30 L MAX CAPACITY 12 ppl, 2535 lbs | 1150 kg **COCKPIT DEPTH** (at helm) 34 in | 86 cm MAX DRAFT (drive down) 34 in | 86 cm **DEADRISE ANGLE** 19 degrees













- □ 15" side-entry walkway
- deep bow and cockpit
- floor storage with oversize door
- cockpit table for entertaining
- □ LED interior lighting and docking lights
- □ hi-power Bluetooth audio system

- self-bailing fiberglass floor liner
- premium 36 oz. stain resistant vinyl
- enclosed head with vent window and lighting
- freshwater sink and refreshment area
- porta potti with level indicator
- stand-up bimini top with boot

- pressurized bow and transom showers
- □ auto / manual 1100 gph bilge pump
- □ LCD bow and transom stereo remotes ❖
- bow and aft filler cushions
- stainless steel hardware package
- custom wakeboard tower









195c CUDDY CABIN

Looking for an entry-level cuddy? The 195C is perfect for the young family that is just getting started in boating. The CX model features a large sunpad and a bench seat with storage underneath. For extra interior room, opt for the CS model, which features a motorbox with built-in cupholders and two individual seats. An oversized entryway makes cabin access easy, and the cabin includes a molded fiberglass liner, porta potti, V-berth with lots of storage, and a screened aluminum deck hatch. It's great for overnighting!

	3
	1
\prec	







KEY FEATURES

- ☐ 46 gt. cooler / storage box with drain
- floor storage and cooler compartment
- molded fiberglass cabin liner
- □ three-way adjustable helm seats
- premium 36 oz. stain resistant vinyl
- marine audio system with MP3 port ❖❖

- □ transom mounted trim and tilt switch ❖※
- □ auto / manual 1100 gph bilge pump ❖※
- □ stainless steel hardware package ❖
- snap-in carpeting
- □ extended swim platform ❖
- ☐ full canvas set ❖
- * included in Preferred Equipment Group

 LENGTH
 19 ft, 6 in | 5.9 m

 BEAM
 91 in | 231 cm

 BRIDGE CLEARANCE
 52 in | 132 cm

 AVG DRY WEIGHT (w/ 4.3L)
 2734 lbs

 FUEL CAPACITY
 34 gal | 129 L

 ICE CAPACITY
 46 qt | 44 L

 MAX CAPACITY
 8 ppl, 1470 lbs | 666 kg

 SLEEPING CAPACITY
 2+1

 COCKPIT DEPTH (at helm)
 34 in | 86 cm

 MAX DRAFT (drive down)
 31 in | 79 cm

 DEADRISE ANGLE
 19 degrees







208 CR SPORT DECK

This may be our entry-level sport deck cuddy, but there is nothing small about this boat. Its extra wide stance makes room for a 15" side entryway to provide quick and easy boarding, while giving up little sundeck area. The wide body design continues in the cabin, where two adults can easily stretch out for a nap. This boat is also a performer! Built on our Z-plane hull, it is both fast and efficient. You will find it a challenge to find another boat in its size range to compete with it.

LENGTH	20 ft, 8 in 6.3 m
BEAM	99 in 250 cm
BRIDGE CLEARANCE	51 in 130 cm
AVG DRY WEIGHT (w/ 4.3L)	2925 lbs
FUEL CAPACITY	34 gal 129 L
WATER CAPACITY *	6 gal 23 L

ICE CAPACITY 32 qt | 30 L MAX CAPACITY 9 ppl, 1715 lbs | 778 kg **SLEEPING CAPACITY COCKPIT DEPTH (at helm)** 34 in | 86 cm MAX DRAFT (drive down) 34 in | 86 cm **DEADRISE ANGLE** 19 degrees











- □ 15" side-entry walkway
- □ deep cockpit
- oversized cup holders
- □ fiberglass cockpit floor liner
- twin sport bucket seats with bolsters
- premium 36 oz. stain resistant vinyl
- □ 32 gt. cooler / storage box with drain
- □ hi-power Bluetooth audio system
- □ auto / manual 1100 gph bilge pump
- porta potti with level indicator
- □ stand-up bimini top with boot
- □ stainless steel multi-step transom ladder
- cockpit table for entertaining
- □ aft walk-thru filler cushions ❖
- pressurized bow and transom showers
- porta potti with dockside pumpout
- stainless steel hardware package
- full canvas set *









215 CR SPORT DECK

Want all of the features of a bigger boat without actually having a bigger boat? Look no further. The 215CR packs in ALL of the same features of our 235CR, with the same beam and two feet less to trailer. Before you ask what happened to the other two feet, let us assure you that our designers did an impressive job of conserving space in just the right non-essential areas to bring you this right-sized cuddy. Like all of our sport deck models, the 215CR features a side-entry walkway for easy entry and exit.

LENGTH	21 ft, 11 in 6.7 m
BEAM	101 in 257 cm
BRIDGE CLEARANCE	58 in 147 cm
AVG DRY WEIGHT (w/ 5.0L)	3775 lbs
FUEL CAPACITY	46 gal 174 L
WATER CAPACITY	13 gal 49 L

ICE CAPACITY	25 gt 24 L
MAX CAPACITY 11 pp	l, 2167 lbs 983 kg
SLEEPING CAPACITY	2+1
COCKPIT DEPTH (at helm	n) 34 in 86 cm
MAX DRAFT (drive down)	34 in 86 cm
DEADRISE ANGLE	19 degrees













- LCD bow and transom stereo remotes ❖ □ aft walk-thru filler cushion ❖
- □ pressurized bow shower ❖
- porta potti with dockside pumpout
- stainless steel hardware package
- full canvas set *

- □ 15" side-entry walkway
- deep cockpit area
- oversized cup holders
- □ self-bailing fiberglass floor liner
- premium 36 oz. stain resistant vinyl
- □ hi-power Bluetooth audio system

- □ auto / manual 1100 gph bilge pump
- stand-up bimini top with boot
- cockpit table for entertaining
- porta potti with level indicator
- □ stainless steel multi-step transom ladder
- pressurized transom shower





225 CR CUDDY CABIN

A deep boat with ample freeboard for "big" water, the 225CR offers both safety and performance. Stingray's Z-plane hull allows it to get out of the water and on plane quicker for faster speeds and a freer riding hull. At just under 23 feet and with a beam of 100 inches, the spacious cockpit and cabin of the 225CR make it a great boat for comfortable overnighting. A recessed cabin step leads to the spacious V-berth and amenities, and the bi-fold doors with smoke inserts and keyed entry lock provide privacy.

LENGTH	22 ft, 11 in 7.0 m
BEAM	100 in 254 cm
BRIDGE CLEARANCE	55 in 140 cm
AVG DRY WEIGHT (w/ 5.0L)	3539 lbs
FUEL CAPACITY	56 gal 212 L
WATER CAPACITY	6 gal 23

ICE CAPACITY	25 qt 24 L
MAX CAPACITY 10 ppl, 2	2080 lbs 943 kg
SLEEPING CAPACITY	2+1
COCKPIT DEPTH (at helm)	36 in 91 cm
MAX DRAFT (drive down)	33 in 84 cm
DEADRISE ANGLE	20 degrees













- □ deep cockpit area
- oversized cup holders
- □ indirect LED cockpit lighting
- □ fiberglass cockpit floor liner
- □ hi-power Bluetooth audio system
- □ removable 25 qt. cooler

- premium 36 oz. stain resistant vinyl
- □ auto / manual 1100 gph bilge pump
- □ stand-up bimini top with boot
- porta potti with level indicator
- □ stainless steel multi-step transom ladder
- cockpit table for entertaining

- cabin and aft filler cushions
- □ butane stove with SS case and auto light
- □ pressurized transom shower ❖
- □ porta potti with dockside pumpout ❖
- □ stainless steel hardware package ❖
- full canvas set *





235 CR SPORT DECK

The wide-body design of the 235CR provides lots of space for enjoying all its features, including a very roomy cabin. This cuddy is complete with porta potti, butane stove, a refreshment area that includes a sink and removable cooler, a cockpit table for dining, and more! With all of these features, you have a setup that your family and friends can enjoy for the whole day...or for the entire weekend!

ADDED BONUS: it's affordable and trailerable.

LENGTH	23 ft, 11 in 7.3 m
BEAM	101 in 257 cm
BRIDGE CLEARANCE	58 in 147 cm
AVG DRY WEIGHT (w/ 5.0L)	4175 lbs
FUEL CAPACITY	56 gal 212 L
WATER CAPACITY	13 gal 49 L

ICE CAPACITY 25 qt | 24 L MAX CAPACITY 12 ppl, 2535 lbs | 1150 kg **SLEEPING CAPACITY COCKPIT DEPTH (at helm)** 34 in | 86 cm MAX DRAFT (drive down) 34 in | 86 cm **DEADRISE ANGLE** 19 degrees











- □ 15" side-entry walkway
- deep cockpit area
- oversized cup holders
- □ self-bailing fiberglass floor liner
- □ hi-power Bluetooth audio system
- premium 36 oz. stain resistant vinyl
- □ auto / manual 1100 gph bilge pump
- □ stand-up bimini top with boot
- cockpit table for entertaining
- porta potti with level indicator
- □ stainless steel multi-step transom ladder
- pressurized transom shower

- LCD bow and transom stereo remotes
- □ aft walk-thru filler cushion` ❖
- pressurized bow shower
- porta potti with dockside pumpout
- stainless steel hardware package
- full canvas set *









250cs CABIN CRUISER

This dual-cabin cruiser features sleeping accommodations for four with two berths—one in the forward bow and another midships—making it ideal for overnight excursions. Just below deck is a fully equipped galley, and the forward berth converts to a dining area. A fully enclosed standup head includes mirror, overhead lighting, generous storage, sink, manual-flush toilet, and shower. Lots of space, numerous standard features, many options to choose from, and the 250CS is still easily trailerable to endless destinations.

LENGTH	25 ft 7.6 m
BEAM	102 in 259 cm
BRIDGE CLEARANCE	77 in 196 cm
AVG DRY WEIGHT (w/ 5.0L)	4971 lbs
FUEL CAPACITY	66 gal 250 L
WATER CAPACITY	25 gal 95 l

ICE CAPACITY 32+25 at | 30+24 L MAX CAPACITY 10 ppl, 2265 lbs | 1027 kg **SLEEPING CAPACITY COCKPIT DEPTH (at helm)** 35 in | 89 cm MAX DRAFT (drive down) 35 in | 89 cm **DEADRISE ANGLE** 21 degrees













- □ self-bailing fiberglass floor liner
- □ freshwater sink
- □ built-in stove, refrigerator, and microwave
- □ indirect LED cockpit lighting
- enclosed head with shower
- □ hi-power Bluetooth audio system

- premium 36 oz. stain resistant vinyl
- □ auto / manual 1100 gph bilge pump
- stand-up bimini top with boot
- cockpit table for entertaining
- pressurized transom shower
- porcelain head with holding tank
- □ multi-step stainless steel transom ladder
- dual battery system with VSR and switch
- stainless steel hardware package
- □ remote control windlass ❖
- □ 110v or 220v hot water, HVAC, alc./elec. stove ❖
- full canvas set *









225_{SX} SPORTBOAT


This boat screams speed, even while sitting quietly at the dock. And it rides on Stingray's Z-plane hull, which means its performance is hard to beat in its size class. When you put the throttle down, the 225SX pops on plane in seconds. Trimmed out at full throttle, only the last few feet of hull make contact with the water as it releases to reach max speed. The hull design ensures that it handles turns with agility. Simply put, this baby corners like it's on rails!

LENGTH	22 ft, 11 in 7.0 m
BEAM	100 in 254 cm
BRIDGE CLEARANCE	45 in 114 cm
AVG DRY WEIGHT (w/ 5.0L)	3225 lbs
FUEL CAPACITY	56 gal 212 L
ICE CAPACITY	32+25 qt 30+24 L

MAX CAPACITY 10 ppl, 2080 lbs | 943 kg SLEEPING CAPACITY **COCKPIT DEPTH (at helm)** 32 in | 81 cm MAX DRAFT (drive down) 33 in | 84 cm **DEADRISE ANGLE** 20 degrees













optional solid deck and hull color

- □ hi-power Bluetooth audio system
- □ indirect LED cockpit lighting
- fiberglass cockpit floor liner
- premium 36 oz. stain resistant vinyl
- □ auto / manual 1100 gph bilge pump
- □ aft walk-thru filler cushion

- □ custom SS (Italian) steering wheel
- aluminum deck hatch with screen
- twin sport bucket seats with bolster
- magnetic compass
- porta potti with level indicator
- □ transom mounted trim and tilt switch
- optional feature see page 44 for details

- □ low profile sport windshield
- □ trim tabs with LED indicator ❖
- snap-in carpet <</p>
- □ LCD transom stereo remote ❖
- stainless steel hardware package
- □ solid deck and hull color ❖





191RX OUTBOARD

The 191RX is the brother to our 195RX entry-level bowrider. Both are priced to sell at the same price. The difference—the 191RX is an outboard model. Like its brother, it has more amenities than the competitions' models of similar size and offers quality, fuel efficiency, and excellent performance. As an outboard model, it features easy maintenance and an abundance of storage underneath the sundeck area. This model makes boating both easy and affordable, leaving your time and money to spend on the fun!

LENGTH	19 ft, 3 in 5.9 m
BEAM	91 in 231 cm
BRIDGE CLEARANCE	47 in 119 cm
AVG DRY WEIGHT (90 hp)	2100 lbs
FUEL CAPACITY	34 gal 129 L
ICE CAPACITY	14 qt 13 L

MAX CAPACITY	8 ppl,	1890 lbs 857 kg
COCKPIT DEPTH (at helm) 29 in 74 cm		
MAX DRAFT (drive down)		31 in 79 cm
DEADRISE ANGLE		19 degrees
MAX HORSEPOWER		90











- bow storage
- stainless steel cleats
- floor storage with oversize door
- □ indirect LED interior lighting
- □ all weather marine carpet
- premium 36 oz. stain resistant vinyl
- □ cooler / storage box with drain
- □ three-way adjustable helm seats
- backlit instruments with circuit breakers
- stainless steel multi-step transom ladder
- power trim and tilt with indicator
- transom mounted trim and tilt switch

- □ auto / manual 1100 gph bilge pump ❖※
- marine audio system with MP3 port ❖※
- □ stand-up bimini top with boot ❖❖
- □ zero torque steering ❖❖
- □ cockpit and bow cover ❖
- ss sport trim tabs

- optional feature * included in Preferred Equipment Group





191LX OUTBOARD

The outboard version of the 19' bowrider gives you extra room in the cockpit, abundant storage under the sundeck, and the ease of maintenance of outboard power. Bow storage, floor storage, and storage under the bench seat provide lots of room for storing your gear. Like fishing and water sports? Add the optional fish and ski package (shown in main photo). It includes a trolling motor mount, bow casting platform, wired trolling motor panel, aerated livewell, tackle box, stainless steel ski tow, and two fishing seats.

LENGTH	19 ft, 3 in 5.9 m
BEAM	91 in 231 cm
BRIDGE CLEARANCE	47 in 119 cm
AVG DRY WEIGHT (90 hp)	2100 lbs
FUEL CAPACITY	34 gal 129 L
ICE CAPACITY	14 at 13 L

MAX CAPACITY 8 ppl, 1890 lbs | 857 kg **COCKPIT DEPTH (at helm)** 29 in | 74 cm MAX DRAFT (drive down) 31 in | 79 cm **DEADRISE ANGLE** 19 degrees **MAX HORSEPOWER** 140











- □ 14 qt. cooler / storage box with drain
- floor storage with oversize door
- □ indirect LED interior lighting
- □ all weather marine carpet
- premium 36 oz. stain resistant vinyl
- □ three-way adjustable helm seats

- transom mounted trim and tilt switch
- safety glass windshield with side shields
- □ backlit instruments with circuit breakers
- stainless steel multi-step transom ladder
- power trim and tilt with indicator
- □ marine audio system with MP3 port ❖※
- □ bimini top with boot ❖❖
- □ auto / manual 1100 gph bilge pump ❖※
- □ zero torque steering **
- □ fiberglass cockpit floor liner ❖
- □ stainless steel hardware package ❖
- ☐ fish and ski package ❖

- ❖ optional feature see page 44 for details

 ❖ included in Preferred Equipment Group





204LR OUTBOARD

The 204LR is an outboard version of the 208LR entry level sport deck bowrider. It retains the same 15" side entryway for quick and easy boarding. Underneath the sundeck is a large storage area for water toys and gear. Aft of the sundeck are two double-tiered swim perches for hanging out on the transom. Multi-step boarding ladders fore and aft provide convenient re-entry from the water and beach. A fiberglass cockpit floor liner offers comfortable traction and makes cleanup easy at the end of a fun day on the water.

LENGTH	20 ft, 5 in 6.2 m
BEAM	99 in 250 cm
BRIDGE CLEARANCE	49 in 124 cm
AVG DRY WEIGHT (115 hp)	2490 lbs
FUEL CAPACITY	34 gal 129 L
WATER CAPACITY ❖	6 gal 23 L

ICE CAPACITY 32+14 qt | 30+13 L MAX CAPACITY 9 ppl, 1715 lbs | 778 kg **COCKPIT DEPTH (at helm)** 32 in | 81 cm MAX DRAFT (drive down) 34 in | 86 cm **DEADRISE ANGLE** 19 degrees MAX HORSEPOWER 150







optional stainless steel ski tow







KEY FEATURES

- □ 15" side-entry walkway
- deep bow and cockpit
- oversized cup holders
- floor storage with oversize door
- indirect LED interior lighting
- □ fiberglass cockpit floor liner
- □ 32 qt. and 14 qt. coolers / storage boxes with drain
- twin sport bucket seats with bolsters
- premium 36 oz. stain resistant vinyl
- □ hi-power Bluetooth audio system
- □ auto / manual 1100 gph bilge pump
- □ stand-up bimini top with boot

- □ cockpit table for entertaining ❖
- □ LCD bow and transom stereo remotes ❖
- bow and aft filler cushions ❖
- □ custom wakeboard tower ❖
- □ custom stainless steel ski tow ❖
- stainless steel hardware package









214LR OUTBOARD

The 214LR is the outboard version of our popular 215LR sport deck model, featuring a wide body cockpit for optimal passenger space and a large, functional head compartment for weekend trips. Other standard features include a freshwater sink, removable 25-quart cooler, self-bailing cockpit, pressurized bow and transom showers, and a removable cockpit table for entertaining. We invite you to compare our model (features, performance, and fuel efficiency) to others on the market.

LENGTH	21 ft, 8 in 6.6 m
BEAM	101 in 257 cm
BRIDGE CLEARANCE	58 in 147 cm
AVG DRY WEIGHT (150 hp)	3114 lbs
FUEL CAPACITY	46 gal 174 L
WATER CAPACITY	13 gal 49 L

ICE CAPACITY 25+17 qt | 24+16 L MAX CAPACITY 11 ppl, 2167 lbs | 983 kg **COCKPIT DEPTH** (at helm) 34 in | 86 cm MAX DRAFT (drive down) 34 in | 86 cm **DEADRISE ANGLE** 19 degrees MAX HORSEPOWER 150













KEY FEATURES

- □ 15" side-entry walkway
- deep bow and cockpit
- □ floor storage with oversize door
- cockpit table for entertaining
- indirect LED interior lighting
- self-bailing fiberglass floor liner
- premium 36 oz. stain resistant vinyl
- enclosed head with vent window and lighting
- freshwater sink and refreshment area
- porta potti with level indicator
- □ stand-up bimini top with boot
- pressurized bow and transom showers

- □ auto / manual 1100 gph bilge pump
- LCD bow and transom stereo remotes ❖
- □ bow filler cushion ❖
- custom wakeboard tower
- □ custom stainless steel ski tow ❖
- stainless steel hardware package









234LR OUTBOARD

The 234LR offers the versatility and ease of maintenance of outboard propulsion with the same roomy design as its sterndrive brother, the 235LR. The wide, sport deck design creates plenty of interior space, a convenient side-entry walkway, a large sundeck, and a head compartment large enough to double as a changing room. Under the sundeck is lots of storage for your gear. A standard, self-bailing, full fiberglass liner with overboard drains makes for easy cleanup at the end of the day. We will see you on the water!

LENGTH	23 ft, 8 in 7.2 m
BEAM	101 in 257 cm
BRIDGE CLEARANCE	58 in 147 cm
AVG DRY WEIGHT (250 hp)	3648 lbs
FUEL CAPACITY	56 gal 212 L
WATER CAPACITY	13 gal 49 L

ICE CAPACITY 25+32 qt | 24+30 L MAX CAPACITY 12 ppl, 2535 lbs | 1150 kg **COCKPIT DEPTH (at helm)** 34 in | 86 cm MAX DRAFT (drive down) 34 in | 86 cm **DEADRISE ANGLE** 19 degrees MAX HORSEPOWER 250













KEY FEATURES

- □ 15" side-entry walkway
- deep cockpit area
- □ floor storage with oversize door
- cockpit table for entertaining
- □ LED interior lighting and docking lights
- □ hi-power Bluetooth audio system
- self-bailing fiberglass floor liner
- premium 36 oz. stain resistant vinyl
- enclosed head with vent window and lighting
- freshwater sink and refreshment area
- porta potti and self-contained holding tank
- □ stand-up bimini top with boot
- optional feature see page 44 for details

- pressurized bow and transom showers
- □ auto / manual 1100 gph bilge pump
- □ bow and aft filler cushions ❖
- □ LCD bow and transom stereo remotes ❖
- □ full canvas set ❖
- □ stainless steel hardware package ❖



STANDARDS & OPTIONS

	OPTION #	180LS/LX	195RX	195LS/LX	208LR	215LR	225LR	235LR	195CS/CX	208CR	215CR	225CR	235CR	250CS	225SX	191RX	191LX	204LR	214LR	234LR
				В	OWRIDE	R					CUDDY	CABIN			SPORT		0	UTBOAF	RD	
5-Year Hull Protection Plan	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
3-Year Hull Blister Protection Plan	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Exclusive Z-plane Hull	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Certifications: NMMA, USCG, IMCI, EC	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Auto / Manual Bilge Pump (1100 gph)	50	95	95	95	S	S	S	S	95	S	S	S	S	S	S	95	95	S	S	S
Cooler / Storage Box with Drain	-	S	S	S	S	S	S	S	S	S	S	-	S	S	S	S	S	S	S	S
Floor Storage w/ Oversize Access Door	-	S	S	S	S	S	S	S	S	-	-	-	-	-	-	S	S	S	S	S
Opening Cabin Windows with Screen (ea)	-	-	-	-	-	2	-	2	-	-	3	3	3	8	-	-	-	-	2	2
Performance Notched Transom	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Solid Color Deck and Hull	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1462	-	-	-	-	-
Two-Tone Hull Color Stripe	51	445	-	445	468	486	468	577	445	468	486	468	577	577	468	-	445	468	486	486
CE Certification Package w/ Shipping Cradle	90	835	835	835	908	908	908	908	835	908	908	908	908	908	908	835	835	908	908	908
Electric Trim Tabs with LED Indicator	56	-	-	-	1046	1046	1046	1046	-	1046	1046	1046	1046	1046	1046	-	-	1046	1046	104
Hydraulic Trim Tabs with LED indicator	68	-	-	_	977	977	977	977	-	977	977	977	977	977	977	-	-	977	977	977
Stainless Steel Sport Trim Tabs (fixed)	57	-	92	92	92	-	-	-	92	92	-	-	-	-	-	92	92	92	-	-
Pressurized Bow Shower	59	-	-	_	192	S	_	S	-	192	192	_	192	_	_	-	_	192	S	S
Pressurized Water with Transom Shower	69	_	-	_	422	S	422	S		422	S	291	S	S	-	_	-	422	S	S
Shipping Cradle (for export only)	31	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508	508
Stainless Steel Bow Rails	-	-	-	S S	-	-	-	-	S	S	S	S	S	S	-	-	S	-	-	500
Bow Anchor Storage		_	-	-	S	S	S	S	S	S	S	S	S	S	-		-	S	S	S
9	-	-		-	-	S	-	S	-	-	-	-	-	S				-	S	S
Enclosed Head with Vent Window & Lighting	-	-	-					-						_	-	-	-		-	3
Lockable Cabin Doors	-	-	-	-	-	-	-		S	S	S	S	S	S	S	-	-	-	-	-
Cabin Windows with SS Frame	-	-	-	-	-	-	-	-	S	S	-	-	-	-	-	-	-	-	-	-
Stainless Steel Multi-Step Transom Ladder	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Stainless Steel Multi-Step Bow Ladder	-	-	-	-	S	S	-	S	-	S	S	-	S	-	-	-	-	S	S	S
Stainless Steel Spring Line Cleats	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Stainless Steel LED Docking Lights	313	-	-	-	295	S	295	S	-	295	S	295	S	295	295	-	-	295	S	S
Windshield with Side Vent Windows	-	S	-	S	S	S	S	S	-	S	S	S	S	S	-	-	S	S	S	S
Extended Swim Platform (white only)	81	875	-	875	-	-	-	-	875	-	-	-	-	-	-	-	-	-	-	-
Windshield Wiper (starboard side)	25	-	-	-	-	-	-	-	-	-	-	-	-	295	-	-	-	-	-	-
Stainless Steel Custom Ski Tow (removable)	670	-	-	-	-	-	-	-	-	-	-	-	-	-	-	423	423	423	423	423
Custom Wakeboard Tower	661	-	-	-	2846	2846	2846	2846	-	-	-	-	-	-	-	-	-	2846	2846	284
25-Quart Removable Cockpit Cooler	-	-	-	-	-	S	S	S	-	-	S	S	S	S	-	-	-	-	S	S
Backlit Instruments with Circuit Breakers	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Dash Accessory Plug 12V	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Electronic Engine Hour Meter	-	S	-	S	S	S	S	S	S	S	S	S	S	S	S	-	S	S	S	S
Indirect LED Cockpit Lighting	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Premium 36 oz Foam-Backed Vinyl w/ PreFixx	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Helm Seats with Fore and Aft Adjustors	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Ignition Switch w/ Stereo Accessory Remote	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-	-	-	-
Oversized Cup Holders	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Self Bailing Cockpit	-	-	-	-	-	S	-	S	-	-	S	-	S	S	-	-	-	-	S	S
Throttle-Trim Control with Safety Switch	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S
Steel Burl or Graywood Trim Package	-	S	-	S	S	S	S	S	S	S	S	S	S	S	S	-	S	S	S	S
Audio System / MP3 and 100-watt Speakers	23	340	-	340	-	-	-	-	340	-	-	-	-	-	-	-	340	-	-	-
Hi-Power Bluetooth Audio System	_	_	-	-	S	S	S	S	-	S	S	S	S	S	S	-	-	S	S	S

- (ea) Indicates quantity, not dollars.
- Denotes Not Available.

Prices and specifications subject to change.

Only the most popular standard and optional equipment items are shown.

For the current and complete list of items, visit stingrayboats.com/options.



Full Function Head with Sink, Shower, Storage, and Opening Vent Window (250CS)



Two-Tone Hull Color Stripe (Option #51) (shown with optional hull graphic)



Custom Dash with Backlit Instruments and Stainless Steel Bezels



Stainless Steel Hardware Package (Option #55) Items vary by model. Refer to the footnote on page 44 for complete package details.



Recessed Speakers and Convenient Drink Holders



25-quart Removable Cooler (214LR, 215CR, 215LR, 225LR, 225CR, 235LR, 235CR, 250CS)



Floor Storage w/ Non-Skid Lid & SS Assist (195L, 204LR, 208LR, 214LR, 215LR, 225LR, 235LR)



Bow Anchor Storage, Translucent Aluminum Deck Hatch, Stainless Steel Cleats, Navigation Lights, Stainless Steel Contoured Bow Rails, Bow Ladder



Walk-Thru Removable Filler Cushion (Option #47 or 77) (204LR, 208CR, 208LR, 214LR, 215CR, 215LR, 235CR, 235LR)

Stainless Steel Port Windows





High Low Jump Seats Insulated Fiberglass Motor Box with Upholstered Pad (195LS, 195CS)



LX Interior - Twin Bucket Seats, Full-Width, Bench Seat, and Sport Style Sundeck



LS Interior - Bucket Seat, Lounge Seat, Motor Box and Jump Seats



LR Sport Deck Interior - Bucket Seats, Wrap-around Bench Seating, & Sport Style Sundeck



LR Bowrider Interior - Bucket Seats, Wrap-around Bench Seating, & Sport Style Sundeck

STANDARDS & OPTIONS

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	OPTION#	180LS/LX	195RX	195LS/LX	208LR	215LR	225LR	235LR	195CS/CX	208CR	215CR	225CR	235CR	250CS	225SX	191RX	191LX	204LR	214LR	234LR /
				В	OWRIDE	R					CUDDY	CABIN			SPORT		0	UTBOAR	D	
Marine Audio System with MP3 Port	67	220	254	220	-	-	-	-	220	-	-	-	-	-	-	254	220	-	-	-
Stereo, LCD Remote, Transom	21	-	-	-	185	185	185	185	-	185	185	185	185	185	185	-	-	185	185	185
Stereo, LCD Remote, Bow and Transom	75	-	-	-	323	323	-	323	-	323	323	-	323	-	-	-	-	323	323	323
Adjustable Pedestal for One Bucket Seat	86	-	-	-	-	-	-	-	85/-	-	-	-	-	85	-	-	-	-	-	-
Adjustable Pedestal for Two Bucket Seats	83	-	-	-	-	169	-	169	-/169	-	169	169	169	-	-	-	-	-	169	169
High Low Jump Seats	-	-	-	S/-	-	-	-	-	S/-	-	-	-	-	-	-	-	-	-	-	-
Sport Bucket with Bolster	26	215/-	-	215/-	-	-	-	-	215/-	-	-	-	-	S	-	-	-	-	-	-
Twin Sport Bucket with Bolster	82	-/429	-	-/429	S	S	S	S	-/429	S	S	S	S	-	S	-	429	S	S	S
Fiberglass Cockpit Floor Liner	46	542	-	542	S	S	S	S	542	S	S	S	S	S	S	-	542	S	S	S
Snap-in Carpet (standard seating)	33	385	-	385	446	500	446	500	385	446	446	446	446	446	446	-	385	446	500	500
Cockpit Table with Bow and Cockpit Mounts	76	-	-	-	262	S	S	S	-	262	S	S	S	S	-	-	-	346	S	S
Freshwater Sink - Cockpit	-	-	-	-	-	S	-	S	-	-	S	-	S	S	-	-	-	-	S	S
Digital Depth Finder with Depth Alarm	48	351	-	351	351	351	351	351	351	351	351	351	351	351	351	-	351	351	351	351
Magnetic Compass (for navigation)	49	131	-	131	131	S	S	S	131	131	S	S	S	S	S	-	131	131	S	S
Filler Cushion - Aft Walkthru	47	-	-	-	-	346	-	346	-	-	346	-	346	-	-	-	-	-	-	-
Filler Cushion - Aft Walkthru and Seat	77	-	-	-	500	-	S	-	-	500	-	S	-	-	S	-	-	500	-	-
Filler Cushion for Bow / Cabin	84	-	-	-	285	285	285	285	-	S	S	S	S	-	-	_	-	285	285	285
Adjustable Cabin Lights	-	-	_	-	_	_	_	_	_	S	S	S	S	S	S	-	-	_	_	-
LED TV / DVD System	725	-	_	-	-	_	_	_	_	-	-	-	-	1377	-	_	-	-	_	-
SS Butane Stove with Case and Auto Light	-	_	_	_	_	_	_	_	-	-	S	S	S	-	-	-	_	_	_	-
Enclosed Head with Shower	_	_	_	_	_	_	_	_	_	-	_	-	-	S	-	_	_	_	_	-
Freshwater Sink - Cabin	_	_	_	_	_	_	_	_	_	_	_	S	_	S	_	_	_	_	_	_
Molded Fiberglass Cabin Liner	-	_	_	-		S	_	S	S	-	S	S	S	S	_	_	_	_	S	S
Porta-Potti with Level Indicator	_	_	_	_	_	S	_	S	S	S	S	S	S	-	S	-	-	_	S	S
Porcelain Head with Holding Tank	_	_	_	_	_	-	_	-	-	-	-	-	-	S	-	_	_	_	-	-
Porta-Potti with Dockside Pump-out	38	-	-	-	-	185	-	185	-	185	185	185	185	-	-	-	-	-	185	185
Porcelain Head with Tank / Macerator	35	-	-	-	-	-	-	-	-	-	-	-	-	449	-	-	-	-	100	-
	27	-	-	-	-	_	_	_	-	-	-	-	-	500	-	-	-	-	-	-
220V Electrical System (export only) A	29		-	-	-	-	-	-	-	-	-	-	_	763		-	-	-	-	-
220V Hot Water System		470													- 670					
Automatic Fire Extinguishing System	19	472	472	472	672	672	672	672	472	672	672	672	672	672	672	472	472	672	672	672
Battery Charger (110V)	41	208	-	208	208	208	208	208	208	208	208	208	208	- S	208	-	208	208	208	208
Battery On / Off Switch with Safety Key	36 30	105	-	105	105 285	105 285	105 285	105 285	105	105 285	105 285	105 285	105 285	S	105 285	-	105	105 285	105 285	105 285
Dual Battery System with VSR and Switch						200 S				200 S	200 S			S	205 S	S		200 S	200 S	
Power Trim and Tilt with Indicator	-	S	S	S	S		S	S	S			S	S			_	S		3	S
Remote Oil Change System (Dipstick Style)	- 10	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-	-	-	-
Transom Mounted Trim and Tilt Switch	40	123	123	123	S	S	S	S	123	S	S	S	S	S	S	S	S	S	S	S
Hydraulic Tilt Steering - Yamaha (up to 175 hp)	620	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1346	1346	S
Hydraulic Tilt Steering - Yamaha (200 hp +)	621	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1346	S
Hydraulic Tilt Steering - Mercury	622	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1346	1346	S
Power Steering (engine driven)	-	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-	-	-	-
Tilt Steering with Locking Detent	39	183	-	183	-	-	-	-	183	-	-	-	-	-	-	-	183	-	-	-
Zero Torque Steering	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	S	S	-
Stainless Steel Hardware Package 1	820	340	-	340	340	340	340	340	340	340	340	340	340	340	340	-	340	340	340	340
Fish & Ski Package (LX Models Only) ²	801	- 275	-	-/2692	-	-	-	-	- 275	-	-	-	-	-	-	-	2692	-	-	-
Preferred Equipment Group ³ MyStingray.com Personal Web Site	810	275 S	999 S	275 S	S	- S	- S	- S	275 S	S	S	S	S	- S	- S	999 S	275 S	S	- S	- S
INIYOUNGUAY.COM F CISONAL WED SILE														3				3		

- Electrical System includes: 25 ft shorepower cable, battery charger, refrigerator, alcohol / electric stove.
- Denotes Not Available
- Stainless Steel Package items vary by model and may include:
 SS Windshield Supports
 SS Bimini Top Quick Connects
 Cabin Windows with SS Frame
 SS Multi-Step Boarding Ladder
 SS Vent Covers
 SS Trimmed Cupholders
 SS Ski Tow (flush mount)
 SS Rub Rail Molding
- 2 Fish & Ski Package items
 vary by model and may include:
 Trolling Motor Mount
 Bow Casting Platform
 Wired Trolling Motor Panel
 Aerated Live Well
 Tackle Box (bow)
 Twin Fishing Seats
 Extended Platform with
 Pedestal Mount
 Custom SS Ski Tow (removable)
- 3 Preferred Equipment Group items vary by model and may include: Transom Mounted Tilt Switch

 - Auto / Manual Bilge Pump (1100 gph) Marine Audio System with MP3 Port Stand-up Bimini Top with Boot
 - Zero Torque Steering Windshield with Side Vent Windows

Prices and specifications subject to change.

Only the most popular standard and optional equipment items are shown.

For the current and complete list of items, visit stingrayboats.com/options



Ritchie Compass (Option #49)



195LX and 191LX with Fish & Ski Package



Bow Storage Areas



Contoured Bow Seats & Integrated Cooler



Sport Bucket with Flip-Up Bolster (225LR shown)



Digital Depth Finder w/ Alarm (Option #48)



17-Gallon Aerated Livewell (195LX, 191LX Fish & Ski Pkg)



Bow Filler Cushions (Option #84)



Freshwater Sink, Counter Top Area, and 25-quart Removable Cooler (235LR shown)



Integrated Bow Steps & Lockable Cabin Doors (208CR, 215CR, 225CR, 225SX, 235CR (shown)



Passenger Side Glovebox / Stereo (varies by model) (180LS/LX, 195LS/LX, 204LR, 208LR, 225LR, 225SX)



14-quart Ice Chest (195LX shown)





Molded Fiberglass Cabin Liner with Storage, Butane Stove, and Porta Potti



Aft Cabin with Full Size Bed (bedding and pillows not included) and Opening Vent Window (250CS)



Cockpit Table with Floor Mount (225CR shown)

CANVAS

CANVAS IS MADE OF HIGH QUALITY SUNBRELLA MATERIAL	# NOILdO	180LS/LX	195RX	195LS/LX	208LR	215LR	225LR	235LR	195CS/CX	208CR	Z15CR	CABIN 225CR	235CR	250CS	S555X	191RX	191LX	204LR	214LR	234LR
Stand-up Bimini Top with Boot	65	631	654	654	S	S	S	S	-	S	S	S	S	S	-	654	654	S	S	S
Bimini Top Stainless Steel Quick Connects	-	-	-	-	S	S	S	S	-	S	S	S	S	S	-	-	-	S	S	S
Cockpit and Bow Cover	17	649	692	649	751	1006	751	1006	-	-	-	-	-	-	-	692	649	751	1006	1006
Cockpit Cover	13	-	-	-	525	702	525	702	465	525	702	525	702	702	525	-	-	525	702	702
Cockpit Cover for Wake Tower	73	-	-	-	569	748	569	748	-	-	-	-	-	-	-	-	-	569	748	748
Bow Cover	18	185	-	185	228	305	228	305	-	-	-	-	-	-	-	-	185	228	305	305
Camper Canvas (2 tops, 4 sides, and aft)	15	-	-	-	-	1300	-	1300	-	-	1300	-	1300	1500	-	-	-	-	1300	1300
Full Canvas Set	4	-	-	-	742	1062	742	1134	472	529	766	529	829	842	-	-	-	818	1211	1211
Side Curtains (for top enclosure)	16	-	-	-	269	269	269	269	185	269	269	269	269	269	-	-	-	269	269	269
Walk-thru Flap	14	-	-	-	105	105	105	105	-	-	-	-	-	-	-	-	-	105	105	105
Optional Canvas Color	66	146	-	146	146	146	146	146	146	146	146	146	146	146	146	-	146	146	146	146

NOTE: Options 4 and 15 include a bow cover.



Stand-up Bimini Top with Windshield Connector (not shown) - Option #65



Cockpit Cover - Option #13, Bow Cover - Option #18



Cockpit Cover - Option #13, Bow Cover - Option #18



Camper Canvas (215 shown) - Option #15




Bow Cover - Option #18, shown in optional black color




Full Canvas - Option #4, shown in optional black color



Walk-Thru Flap - Option #14











HULL GRAPHICS / GELCOAT COLORS



Hull graphics are an optional item on every model, with the exception of the 195RX and 191RX models that come standard with an exclusive graphic (see pages 6 and 32).

Graphic options vary by model; visit stingrayboats.com/buildboat for details.

NOTE: Due to variances in printing and paper, colors shown may not accurately represent actual colors.













The 225SX sportboat is available with a solid color hull in red (see page 30) or platinum; the 195RX and 191RX models are available only with a standard color hull (see pages 6 and 32).



ACTIONWEAR

costore.com/stingrayboats

View our entire line of clothing and accessories online. We offer a variety of premium quality items for the entire family!



MODEL SPECIFICATIONS

,		LENGTH	BEAM	BRIDGE	DRY WEIGHT ^ (w/ popular engine)	FUEL	WATER	ICE BOX CAPACITY	MAX CAPACITY	MOLDED DEPTH (windshield base to keel)	MAX DEPTH (including windshield)	MAX DRAFT (drive down)	MAX DRAFT B (drive up)	COCKPIT DEPTH (at he im)	SLEEPING	DEADRISE 'A
180LS/LX		18 ft	85 in	41 in	2219 lbs	21 gal		14 qt	7 ppl / 1070 lbs	42 in	52 in	29 in	18 in	28 in		19°
TOOLOTEX	α.	5.5 m	216 cm	104 cm	3.0 L	79 L		13 L	7 ppl / 485 kg	107 cm	132 cm	74 cm	46 cm	71 cm		19°
195LS/LX/RX	BOWRIDER	19 ft, 6 in	91 in	47 in	2604 lbs	34 gal		14 qt	8 ppl / 1470 lbs	44 in	55 in	31 in	18 in	29 in		19°
	BOW	5.9 m	231 cm	119 cm	4.3 L	129 L		13 L	8 ppl / 666 kg	112 cm	140 cm	79 cm	46 cm	74 cm		19°
225LR		22 ft, 11 in	100 in	52 in	3364 lbs	56 gal	6 (opt)	32+25 qt	10 ppl / 2080 lbs	51 in	58 in	33 in	18 in	33 in		20°
		7.0 m	254 cm	132 cm	5.0 L	212 L	23 (opt)	30+24 L	10 ppl / 943 kg	130 cm	147 cm	84 cm	46 cm	84 cm		20°
208LR	JER	20 ft, 8 in	99 in	49 in	2825 lbs	34 gal	6 (opt)	32+14 qt	9 ppl / 1715 lbs	48 in	62 in	34 in	18 in	32 in		19°
	DECK BOWRIDER	6.3 m	250 cm	124 cm	4.3 L	129 L	23 (opt)	30+13 L	9 ppl / 778 kg	122 cm	157 cm	86 cm	46 cm	81 cm		19°
215LR	K BO	21 ft, 11 in	101 in	58 in	3705 lbs	46 gal	13	25+17 qt	11 ppl / 2167 lbs	58 in	72 in	34 in	17 in	34 in		19°
		6.7 m	257 cm	147 cm	5.0 L	174 L	49	24+16 L	11 ppl / 983 kg	147 cm	183 cm	86 cm	43 cm	86 cm		19°
235LR	SPORT	23 ft, 11 in	101 in	58 in	4105 lbs	56 gal	13	25+32 qt	12 ppl / 2535 lbs	58 in	72 in	34 in	17 in	34 in		19°
	σ	7.3 m	257 cm	147 cm	5.0 L	212 L	49	24+30 L	12 ppl / 1150 kg	147 cm	183 cm	86 cm	43 cm	86 cm		19°
195CS/CX		19 ft, 6 in	91 in	52 in	2734 lbs	34 gal		46 qt	8 ppl / 1470 lbs	47 in	60 in	31 in	18 in	34 in	2+1	19°
13333,511		5.9 m	231 cm	132 cm	4.3 L	129 L		44 L	8 ppl / 666 kg	119 cm	152 cm	79 cm	46 cm	86 cm	2+1	19°
225CR	спро	22 ft, 11 in	100 in	55 in	3539 lbs	56 gal	6	25 qt	10 ppl / 2080 lbs	54 in	61 in	33 in	18 in	36 in	2+1	20°
220011	no .	7.0 m	254 cm	140 cm	5.0 L	212 L	23	24 L	10 ppl / 943 kg	137 cm	155 cm	84 cm	46 cm	91 cm	2+1	20°
250CS		25 ft	102 in	77 in	4971 lbs	66 gal	25	32+25 qt	10 ppl / 2265 lbs	78 in	92 in	35 in	19 in	35 in	4+1	21°
20000		7.6 m	259 cm	196 cm	5.0 L	250 L	95	30+24 L	10 ppl / 1027 kg	198 cm	234 cm	89 cm	48 cm	89 cm	4+1	21°
208CR	>	20 ft, 8 in	99 in	51 in	2925 lbs	34 gal	6 (opt)	32 qt	9 ppl / 1715 lbs	51 in	64 in	34 in	18 in	34 in	2	19°
200011	SPORT DECK CUDDY	6.3 m	250 cm	130 cm	4.3 L	129 L	23 (opt)	30 L	9 ppl / 778 kg	128 cm	163 cm	86 cm	46 cm	86 cm	2	19°
215CR	S S	21 ft, 11 in	101 in	58 in	3775 lbs	46 gal	13	25 qt	11 ppl / 2167 lbs	58 in	72 in	34 in	17 in	34 in	2+1	19°
2150K	T DE	6.7 m	257 cm	147 cm	5.0 L	174 L	49	24 L	11 ppl / 983 kg	147 cm	183 cm	86 cm	43 cm	86 cm	2+1	19°
235CR	SPOR	23 ft, 11 in	101 in	58 in	4175 lbs	56 gal	13	25 qt	12 ppl / 2535 lbs	58 in	72 in	34 in	17 in	34 in	2+1	19°
233UN		7.3 m	257 cm	147 cm	5.0 L	212 L	49	24 L	12 ppl / 1150 kg	147 cm	183 cm	86 cm	43 cm	86 cm	2+1	19°
225SX	SPORT	22 ft, 11 in	100 in	45 in	3225 lbs	56 gal		32+25 qt	10 ppl / 2080 lbs	51 in	60 in	33 in	18 in	32 in	2	20°
2255X	SPC	7.0 m	254 cm	114 cm	5.0 L	212 L		30+24 L	10 ppl / 943 kg	130 cm	152 cm	84 cm	46 cm	81 cm	2	20°
191RX	0	19 ft, 3 in	91 in	47 in	2100 lbs	34 gal		14 qt	8 ppl / 1890 lbs	44 in	55 in	31 in	17 in	29 in		19°
19104	OUTBOARD	5.9 m	231 cm	119 cm	90 hp	129 L		13 L	8 ppl / 857 kg	112 cm	140 cm	79 cm	43 cm	74 cm		19°
191LX	DUTB	19 ft, 3 in	91 in	47 in	2100 lbs	34 gal		14 qt	8 ppl / 1890 lbs	44 in	55 in	31 in	17 in	29 in		19°
ISILA		5.9 m	231 cm	119 cm	90 hp	129 L		13 L	8 ppl / 857 kg	112 cm	140 cm	79 cm	43 cm	74 cm		19°
204LR	RD.	20 ft, 5 in	99 in	49 in	2490 lbs	34 gal	6 (opt)	32+14 qt	9 ppl / 1715 lbs	48 in	62 in	34 in	18 in	32 in		19°
204LR	DECK OUTBOARD	6.2 m	250 cm	124 cm	115 hp	129 L	23 (opt)	30+13 L	9 ppl / 778 kg	122 cm	157 cm	86 cm	46 cm	81 cm		19°
2441.0	TUO ;	21 ft, 8 in	101 in	58 in	3114 lbs	46 gal	13	25+17 qt	11 ppl / 2167 lbs	58 in	72 in	34 in	17 in	34 in		19°
214LR	DECK	6.6 m	257 cm	147 cm	150 hp	174 L	49	24+16 L	11 ppl / 983 kg	147 cm	183 cm	86 cm	43 cm	86 cm		19°
0041.5	SPORT	23 ft, 8 in	101 in	58 in	3648 lbs	56 gal	13	25+32 qt	12 ppl / 2535 lbs	58 in	72 in	34 in	17 in	34 in		19°
234LR	SP	7.2 m	257 cm	147 cm	250 hp	212 L	49	24+30 L	12 ppl / 1150 kg	147 cm	183 cm	86 cm	43 cm	86 cm		19°

 $Specifications\ may\ change\ at\ any\ time.\ For\ current\ information,\ visit\ Stingray Boats.com/specifications$

^ Weights vary depending on installed options.

PERFORMANCE OPTIONS

25" SS Volvo

3860711

				180LS/LX	195RX	195LS/LX	208LR	215LR	225LR	235LR	195CS/CX	208CR	215CR	225CR	235CR	250CS	225SX					191RX	191LX	204LR	214LR	0341 P
						В	OWRIDE	R					CUDDY	CABIN			SPORT						С	UTBOA		
			length overal	18'	19' 6"	19' 6"	20' 8"	22' 3"	22' 11"	23' 11"	19' 6"	20' 8"	22' 3"	22' 11"	23' 11"	25'	22' 11"			le	ngth over	all 19' 3'	19' 3"	20' 5"	21' 8"	23'
			fuel capacity	/ 21	34	34	34	46	56	56	34	34	46	56	56	64	56			f	uel capaci	ty 34	34	46	46	5
		dry we	eight, no moto	r 1510	1798	1730	1960	2690	2350	3090	1860	1995	2810	2525	3160	4399	2385			dry weig	ht, no mot	or 1701	1725	2065	2629	30
		max speed	d with SS prop	v	▼	▼	▼	•	▼	•	▼	▼	•	▼	▼	•	▼		m	ax speed v	vith SS pro	р▼	▼	•	•	•
		star	dard propelle	r▼	▼	▼	▼	•	▼	•	•	▼	•	▼	•	•	▼			standa	rd propell	er 🔻	▼	▼	▼	,
engi	ine pro								STERN	NDRI\	/E M(DDELS							engi	ne prop	motor weigh		итво	ARD	MODE	LS
3.0				48 C	45 C	45 C					44 C								90 E		399	44 N				
4.3	L 190) alpha	1 848			55 C					54 C							8	115 E	EFI 115	399		46 O	44 M		
4.3 L	MPI 22) alpha	1 865			57 C	55 C	49 C	50 C	47 C	57 C	55 C	49 C	50 C	47 C		52 C	Σ	150 E	EFI 150	455			53 C	48 B	44
5.0 L	MPI 26) alpha	1 952					54 C	56 C	52 B			54 C	56 C	51 B	46 B	57 C									
5.0 L	MPI 26) brave	3 1019					54 J	56 J	53 J			54 J	56 J	53 J	46 I	58 K		F90	0 90	380	43 P				
5.7 L	MPI 30) brave	3 1046						60 K	55 J				59 K	54 J	50 I	60 K	Ŧ	F11	5 115	425		46 Q	44 P		
6.2 L	MPI 32) brave	3 1019						62 K	57 J					56 J	51 I	62 K	АМАНА	F15	0 150	487			54 U	48 T	44
																		*	F25	50 250	602					54
4.3	L 19) sx	874		54 C	55 C					54 C															
4.3 L	MPI 22	5 SX	914		56 C	58 C	55 C	49 C	51 B	47 B	57 C	56 C	49 C	50 B	47 N		52 C									
5.0 L	MPI 27) sx	1014					54 C	56 C	52 B			54 C	56 C	51 N	46 M	57 C									
5.0 L	MPI 27	DP	1019					54 X	56 Y	53 X			54 X	56 Y	52 X	46 W	57 Y	All	loutboa	ard engines	shown a	re four-st	roke mod	els.		
5.7 L	MPI 30	DP	1027						60 Z	55 X				59 Y	53 X	50 W	61 Z			options s					ry.	
5.7 L	MPI 32	DP	1012						62 Z	57 Y					56 Y	51 W	62 Z		-	lete details				-	-	dealer
	LLER OF		Vo.	LVO PH	10 DD0B	- FROM	T 0 D54	D 057	DART #		AL-D			DT#		MEDA	JDV OUT		DADE		V/A-W	ALIA OHI				- 4
	O SX Aluminum	PART # 3850300-			O PROP		IT & REA 494-9	R SET	PARI#		ALP A 17"	HA Aluminum		RT # 2828A45	<i>F</i>		JRY OUTB 17" Alumi		PART 3-832828			AHA OUT	n F90/F11	5 6	PART 8V-45941	
	Aluminum	3850300-			Duo Prop		494-9 495-6					Aluminum		2830A45	F		17 Alumi		3-832830				n F90/F11		8V-45941	
	Aluminum	3850302-			Duo Prop	3851						Aluminum		2832A45	(21" Alumi		3-83283				n F90/F11		E5-45943	
	Aluminum	3850302-			Duo Prop		490-4 497-2					Aluminum		2834A45	E		19" SS La		8-16544				า F150/F11		G5-45943	
20	, adminidiff	5050505-			Dao i Top	3031					201		70-002	2004/140	F		21" SS La		8-16546				n F150/F22		G5-4594!	
VOLV	o sx	PART #	MER	RCURY	BRAVO 3	FRONT	PART#	REAR	PART #		ALPH	A/SX	PA	RT#		3	23" SS La		8-16548				n F150/F22		G5-45943	
	SS Volvo	3860708			S Bravo 3		022400		3022410			SS Laser		544A46	N		Aluminum		8-77344			21" SS F1			AR-14721	
	SS Volvo	3860709	J		Bravo 3		022420		3022430			SS Laser		546A46			Aluminum		8-77346		-				· · · ·	
	SS Volvo	3860710	K		SBravo 3		022440		3022450			SS Laser		548A46			Aluminum		8-77348							

Only EPA approved engines are available in the USA. Volvo engines are available on non-USA boats only. See your dealer for details.

L 28" SS Bravo 3 48-8M8022460 48-8M8022470

Specifications are subject to change at any time without notice or obligation. To avoid disappointment, check with your Stingray Dealer for current information and specifications.

Performance data comes from factory testing, independent engine manufacturer testing, or independent magazine testing. All boat speeds and propellers shown are to be used as guidelines only for general applications as boats and operating conditions will vary. The best propeller for specific boating needs can be determined only by performance testing by your dealer. Results on individual boats may vary depending on many factors, including driver, weather, altitude, load, condition or propeller, lower unit, and boat bottom. Matching of your boat and use conditions to the proper propeller by your dealer will make your boating experience more enjoyable and keep your engine running longer and stronger. Propellers used during testing are shown to be used as a guideline only and are not intended to be an absolute recommendation.


H 25" SS Laser 48-16550A46

CAUTION: Engine should be propped based on load to run at the upper end of the recommended RPM range at WOT to avoid damage caused by lugging. Throttle position must be reduced to avoid excessive RPM when using a lower pitch prop to improve low-end performance for water sports.

Speeds shown are the maximum expected with light load and the best performing SS propeller at sea level with a 70° F air temperature.

FOR THIRD PARTY PERFORMANCE COMPARISONS, VISIT STINGRAYBOATS.COM/PERFORMANCE

PERFORMANCE COMPARISONS





as tested; based on 100 hours or 3000 miles at 30 mph, with a fuel cost of \$3.50 per gallon.

USING THE IBOATINFO.COM PERFORMANCE CALCULATOR, YOU CAN:

Get detailed comparisons on up to five different models from thousands of independent tests

Use the category search query to easily change the output results Compare speed and fuel economy by make, model, length, hp, displacement, and drive type Compare any one model to all other boat tests in the database

Home	Performance	Comparison Tool	▼ What's My Boat Worth?								
Manufacturers Click to add or remove	Manufacturer	Boat Model	LOA	Drive Type	Size Engine Make HP	Max Speed	mph diff	mpg @ 30 mph	mpg diff	\$\$ per 100 hrs*	Info Source
Al ^	Stingray	225 LR	22'11"	SD	5.7L 300hp Volvo	60.60		4.4		\$2,397	Volvo Penta 10/2008
Activator (2) Active Thunder (3) Adrenaline (2)	Stingray	225 SX	22'11"	SD	5.7L 320hp Volvo	62.50	1.9	4.7	6%	\$2,253	Volvo Penta 10/2010
Advantage (41) Albemarle (2)	Regal	2100 RX	21'0"	SD	5.7L 300hp Volvo	52.30	-8.3	3.7	-16%	\$2,838	Boattest.com 08/2009
Albury (1) Noha (10)	Chaparral	226 SSi	22'6"	SD	5.7L 300hp Merc	51.10	-9.5	3.3	-25%	\$3,201	Boating 03/2009
Alpha (1) Alumacraft (7)	Cobalt	230	23'0"	SD	5.7L 300hp Volvo	50.20	-10.4	3.4	-21%	\$3,052	Boating 03/2009
Currently Selected	Bayliner	225	22'6"	SD	5.0L 260hp Merc	49.90	-10.7	3.7	-16%	\$2,838	Boating 09/2008
Bayliner (7) Caravelle (1)	Four Winns	SL222	22'6"	SD	5.7L 300hp Volvo	47.80	-12.8	3.4	-22%	\$3,088	Trailer Boats 03/2009
Chaparal (0) Crownline (0)	Monterey	220 EX	22'3"	SD	5.0L 260hp Merc	47.20	-13.4	2.5	-43%	\$4,200	Boating 01/2008
Four Winns (2) Glastron (6)	Tahoe	225	22'5"	SD	5.0L 220hp Merc	43.70	-16.9	2.7	-38%	\$3,889	Go Boating 01/2008
Maxum (3) Monterey (1)	Sea Ray	230 Select	23'0"	SD	5.7L 300hp Merc	41.80	-18.8	2.8	-36%	\$3,737	Boating 02/2008
Regal (0) Kinker (0)	Stingray	235LR	23'11"	SD	5.7L 320hp Volvo	58.30		4.7		\$2,258	Trailer Boats 07/2010
Sea Ray (4) Stingray (9)	Monterey	234 FSX	24'0"	SD	6.2L 320hp Merc	53.60	-4.7	3.2	-31%	\$3,281	Trailer Boats 04/2006
Tahoe (0) Welleraft (0)	Sea Ray	230 Select	23'7"	SD	5.7L 300hp Merc	52.20	-6.1	3.2	-31%	\$3,281	Trailer Boats 07/2007
Bryant (0)	Regal	2300	24'0"	SD	5.7L 300hp Volvo	51.00	-7.3	3.4	-27%	\$3,088	Boating 02/2010
otal Records: 33	Sea Ray	230 Sundeck	24'1"	SD	5.7L 300hp Merc	50.40	-7.9	3.0	-35%	\$3,500	Boating 04/2009
	Cobalt	230	23'0"	SD	5.7L 300hp Volvo	50.20	-8.1	3.4	-26%	\$3,052	Boating 03/2009
Prive Type	Sea Ray	240 Sundeck	24'1"	SD	5.7L 300hp Merc	48.90	-9.4	3.4	-27%	\$3,088	Trailer Boats 07/2010
V	Glastron	GLS 235`	23'9"	SD	5.7L 320hp Volvo	47.40	-10.9	2.3	-51%	\$4,626	Boattest.com 11/2008
.ength +/- 1'	Larson	Escape 234	23'7"	SD	5.7L 280hp Volvo	46.50	-11.8	3.2	-31%	\$3,281	Boattest.com 08/2007
×	Glastron	GT 249	24'0"	SD	5.0L 270hp Volvo	44.40	-13.9	3.2	-31%	\$3,281	Trailer Boats 06/2008
lorsepower 115-320 🗸	Stingray	204 LR	20'4"	ОВ	1.7L 115hp Yamaha	44.20		5.2		\$2,031	Yamaha 4/2011
Displacement 🔳 🔽	Nauticstar	205 DC	20'0"	ОВ	1.7L 115hp Yamaha	40.90	-3.30	4.8	-6%	\$2,169	Yamaha 6/2006
Date Last 5 years 🗸	Southwind	200 SD	20'6"	ОВ	1.7L 115hp Yamaha	36.60	-7.60	4.6	-10%	\$2,263	Yamaha 8/2010
uel Test Only	Hurricane	SD Sport 201	20'1"	ОВ	1.7L 115hp Yamaha	35.20	-9.00	4.3	-17%	\$2,453	Yamaha 6/2009
Reset to default	Stingray	214 LR	21'8"	ОВ	2.7L 150hp Yamaha	48.30		4.6		\$2,293	Yamaha 4/2011
	Southwind	212 SD	20'6"	ОВ	2.7L 150hp Yamaha	44.00	-4.30	4.4	-4%	\$2,386	Yamaha 8/2010
	Nauticstar	210 DC	21'0"	ОВ	2.7L 150hp Yamaha	43.10	-5.20	4.1	-12%	\$2,593	Yamaha 7/2010
	Hurricane	Sundeck 217	20'10"	ОВ	2.7L 150hp Yamaha	42.20	-6.10	3.8	-17%	\$2,770	Yamaha 7/2010
* Operating costs for each boat				1							

Tests in this database are the property and opinion of the test source shown. iBoatInfo.com • Copyright 2012 • Terms & Conditions • Help



Your Stingray Dealer

STINGRAY BOATS625 Railroad Avenue, Hartsville SC 29550

Phone: 843-383-4507

Visit StingrayBoats.com for additional and up-to-date information.

WARRANTY INFORMATION

All Stingray warranties are limited warranties within the meaning of Title 1 of the Federal Trade Commission Improvement Act. A full statement of coverage, terms, and conditions applying to the Stingray warranty has been furnished to all Stingray dealers. In addition, information is supplied with each new boat. Please read carefully the terms and conditions provided in Stingray's Express Limited Warranty accompanying the sale of your boat. The actual length of warranty coverage for your boat may vary depending on the date of original manufacture and sale date of your boat.

ABOUT THIS BROCHURE

Only a partial list of standard equipment is shown; some boats are shown with optional accessories. Styling, design, equipment, prices, colors, and construction are subject to change without notice or obligation. To avoid disappointment, please check with your Stingray dealer or visit StingrayBoats.com for current information at the time of purchase.

FIND US ONLINE

stingrayboats.com mystingray.com stingrayboats.com/store

facebook.com/stingrayboats twitter.com/stingrayboats youtube.com/stingrayboats





O

9

IJ

 \Box

S

N

0